VandSec®
Professional CCTV Manufacturer
Add: Room 201, No. 75 Baonan Road, Nalian Community, Longgang Subdistrict, Longgang District, Shenzhen, Guangdong, China
www.vandsec.com | sales@vandsec.com | +86 0755-8931 4410



Vandsec IP Camera Price List App: Vandsec (V26.7.1)

(1) Full Color Night Vision Fixed Lens IP Camera

Product Image	Specification			Lens	PoE	Audio	P2P	Price	Model No.
	◆ 3" Plastic Full Color Dome IP Camera ◆ IR LED: 3pcs, IR Range: 25M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature:-10℃~ +60℃ ◆ Size: 108mm x 98mm ◆ Weight: 450g	IN STOCK NOW	4MP	1/2.9" T31N + GC4653 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection **(MOQ 50PCS)**	3.6mm 2.8mm (+ $0.5)	External POE (+ $3)	Built-In Mic (+ $1)	/	$6.89	VN-EA40
			5MP	1/2.7" T32LQ + GC5603 5.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection				/	$11.89	VN-EA50
			8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles			P2P (+$1)	$15.89	VN-EA80
	◆ 3" Semi-Metal Full Color Dome IP Camera ◆ IR LED: 2pcs, IR Range: 25M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature:-10℃~ +60℃ ◆ Size: 108mm x 88mm ◆ Weight: 550g	IN STOCK NOW	4MP	1/2.9" T31N + GC4653 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection	3.6mm 2.8mm (+ $0.5)	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	/	$11.49	VN-EB40
			5MP	1/2.7" T32LQ + GC5603 5.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection				/	$13.50	VN-EB50
			8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles			P2P (+$1)	$18.00	VN-EB80
	◆ 3" Full Metal Full Color Dome IP Camera ◆ IR LED: 4pcs, IR Range: 25M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature:-10℃~ +60℃ ◆ Size: 108mm x 88mm ◆ Weight: 850g	IN STOCK NOW	4MP	1/2.9" T31N + GC4653 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection	3.6mm 2.8mm (+ $0.5)	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1) **Built-in Mic + Sounds Pick up (+ $2)**	/	$14.39	VN-EE40
			5MP	1/2.7" T32LQ + GC5603 5.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection **Red and Blue Strobe Alarm Light**				/	$17.00	VN-EE50
			8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles **Red and Blue Strobe Alarm Light**			P2P (+$1)	$21.50	VN-EE80
	◆ Plastic Full Color Bullet IP Camera ◆ IR LED: 3pcs, IR Range: 25M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature:-10℃~ +60℃ ◆ Size: 158mm x 108mm x78mm ◆ Weight: 700g	IN STOCK NOW	4MP	1/2.9" T31N + GC4653 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection (MOQ 50PCS)	3.6mm 2.8mm (+ $0.5)	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	/	$8.59	VN-EC40
			5MP	1/2.7" T32LQ + GC5603 5.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection				/	$11.89	VN-EC50
			8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles			P2P (+$1)	$15.99	VN-EC80
	◆ Metal Full Color Bullet IP Camera ◆ IR LED: 4pcs, IR Range: 30M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature:-10℃~ +60℃ ◆ Size: 158mm x 108mm x78mm ◆ Weight: 750g	IN STOCK NOW	4MP	1/2.9" T31N + GC4653 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection	3.6mm 2.8mm (+ $0.5)	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	/	$11.79	VN-ED40
			5MP	1/2.7" T32LQ + GC5603 5.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection				/	$14.50	VN-ED50
			8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles			P2P (+$1)	$18.50	VN-ED80
	◆ Metal Full Color Bullet IP Camera ◆ IR LED: 4pcs, IR Range: 30M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature:-10℃~ +60℃ ◆ Size: 158mm x 108mm x78mm ◆ Weight: 750g	IN STOCK NOW	4MP	1/2.9" T31N + GC4653 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection	3.6mm 2.8mm (+ $0.5)	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	/	$12.79	VN-EH40
			5MP	1/2.7" T32LQ + GC5603 5.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection **Red and Blue Strobe Alarm Light**				/	$16.00	VN-EH50
			8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles **Red and Blue Strobe Alarm Light**			P2P (+$1)	$19.50	VN-EH80
	◆ Semi-Metal Full Color Bullet IP Camera ◆ IR LED: 4pcs, Range: 30M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature:-10℃~ +60℃ ◆ Size: 252mm x 73mm x 75mm ◆ Weight: 1500g	IN STOCK NOW	4MP	1/2.9" T41LQ + OV450AI 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles **Black Light Full Color Night Vision** Blacklight Full-Color Night Vision	4mm (YTOT F1.0)	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	/	$23.00	VN-EF40B

Product Image	Specification			Lens	PoE	Audio	P2P	Price	Model No.
	◆ Metal Full Color Bullet IP Camera ◆ IR LED: 3pcs, Range: 30M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 252mm x 73mm x 75mm ◆ Weight: 1500g	**4MP**	1/2.9" T41LQ + OV450AI 4.0MP (20fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles **Black Light Full Color Night Vision**	4mm (YTOT F1.0)	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	/	**$23.00**	**VN-EG40B**

(2) Full Color Night Vision Varifocal Lens IP Camera

Product Image	Specification			Lens	PoE	Audio	P2P	Price	Model No.
	◆ Metal Waterproof IR Bullet IP Camera ◆ IR LED: ✆ 14μX24pcs, IR Range: 30M ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 119mm x0102mm ◆ Weight: 800g	**6MP**	1/2.7" T41NQ + GC5603 6.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles	2.8-12mm Auto Focus Zoom Lens	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	P2P (+$1)	**$33.00**	**VN-EJ60**
		8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles					**$34.50**	**VN-EJ80**
	◆ **Metal Full Color** Bullet IP Camera ◆ IR LED: 4pcs, Range: 30M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 108mm x 90mm ◆ Weight: 900g	**6MP**	1/2.7" T41NQ + GC5603 6.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles	2.8-12mm Auto Focus Zoom Lens	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	P2P (+$1)	**$35.00**	**VN-EK60**
		8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles					**$36.50**	**VN-EK80**
	◆ Metal Waterproof IR Bullet IP Camera ◆ IR LED: ✆ 5X42pcs, Range: 40M ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 241mm x 80mm x 82mm ◆ Weight: 950g	**6MP**	1/2.7" T41NQ + GC5603 6.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles	2.8-12mm Auto Focus Zoom Lens	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	P2P (+$1)	**$33.00**	**VN-EL60**
		8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles					**$34.50**	**VN-EL80**
	◆ Metal Waterproof IR Bullet IP Camera ◆ IR LED: 4pcs, Range: 40M ◆ **Night Vision Full color** ◆ Video Output: 1 x RJ45 port ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Email, NTP Service, HTML5 Remote Operation ◆ Network Protocol: TCP/IP,UDP,HTTP,HTTPS,DHCP,RTSP,DDNS, NTP,PPPOE,UPNP,SMTP ◆ Security mode: authorized username and password, HTTPS encryption, AES connection encryption, RTSP verification ◆ PNP(Plug and Play), support smart phone & tablets ◆ Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 241mm x 80mm x 82mm ◆ Weight:980g	**6MP**	1/2.7" T41NQ + GC5603 6.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles	2.8-12mm Auto Focus Zoom Lens	Internal PoE (+ $2) External POE (+ $3)	Built-In Mic (+ $1)	P2P (+$1)	**$35.00**	**VN-EM60**
		8MP	1/2.7" T41NQ + GC8613 8.0MP (25fps) 3D DNR, D-WDR, AI Defog, AI humanoid Detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles					**$36.50**	**VN-EM80**

(3) Medium/High Speed IP PTZ Camera

Product Image	Specification			Lens	PoE	Audio	Price	Model No.
	◆ 6" Metal Full Color Bullet/PTZ IP Camera, **Panoramic View** (High speed) ◆ 4 x Bullet Camera, 1 x PTZ, undermount Lighting Design ◆ IR LED: 10pcs, Range: 100M ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Professional high-speed motor, 360-degree unlimited rotation, continuous cruising, Tracking ◆ Precise Humanoid security Bullet and PTZ linkage tracking, patrol, scanning, trajectory, idle action, guard position ◆ Cross-border detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, and vehicle illegal parking ◆ PNP(Plug and Play), support smart phone & tablets ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 347mm x 328mm x 208mm ◆ Weight: 8KG	**6MP**	6.0MP x 5 Cameres 3D DNR, WDR, AI Defog **Full Color Night Vision**	4 x Bullet: F1.0 6mm PTZ: 20X(5.6-99mm)	/	Built-In Mic	**Subject to real-time prices**	**VN-PA60**
		8MP	8.0MP x 5 Cameras 3D DNR, D-WDR, AI Defog **Full Color Night Vision**				**$401.00**	**VN-PA80**
	◆ 4.5" Semi-Metal Full Color PTZ IP Camera (Medium speed) ◆ IR LED: 10pcs, Range: 100M ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Supports patrol line, automatic line scanning, guard position functions ◆ Cross-border detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, and vehicle illegal parking ◆ PNP(Plug and Play), support smart phone & tablets ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 185mm x 185mm x 240mm ◆ Weight: 5KG	**5MP**	5.0MP 3D DNR, D-WDR, AI Defog, Human tracking **Full Color Night Vision**	20X (5.4mm-97.2mm)	POE (+ $10)	Two Way Audio	**Subject to real-time prices**	**VN-PB50**
		6MP	6.0MP 3D DNR, WDR, AI Defog, Human tracking **Full Color Night Vision**				**Subject to real-time prices**	**VN-PB60**
		8MP	8.0MP 3D DNR, D-WDR, AI Defog, Human tracking **Full Color Night Vision**				**$120.00**	**VN-PB80**

ONVIF NEW ARRIVAL  colour 24/7	◆ 7" Semi-Metal Full Color PTZ IP Camera (High speed) ◆ IR LED: 10pcs, Range: 100M ◆ Onvif, Hikvision Protocol, HTTPS Encrypted Transmission ◆ Supports patrol line, automatic line scanning, guard position functions ◆ Cross-border detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, and vehicle illegal parking ◆ PNP(Plug and Play), support smart phone & tablets ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 230mm x 230mm x 380mm ◆ Weight: 8KG	**5MP**	5.0MP 3D DNR, D-WDR, AI Defog, Human tracking **Full Color Night Vision**	20X (5.6-99mm)	POE (+ $10)	Two Way Audio	**Subject to real-time prices**	**VN-PC50**
		6MP	6.0MP 3D DNR, WDR, AI Defog, Human tracking **Full Color Night Vision**				**Subject to real-time prices**	**VN-PC60**
		8MP	8.0MP 3D DNR, D-WDR, AI Defog, Human tracking **Full Color Night Vision**				**Subject to real-time prices**	**VN-PC80**

(3) 10/16/36/64/128/196Channel 4K NVR

Product Image	Specification	Accessories	Price	Model No.
ONVIF 	◆ ONVIF 10CH NVR ◆ Solution: A1N (Bandwidth: 80M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 10CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio Out ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/ "Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 1 SATA port (Max 16TB), USB2.0 x 2 ◆ Size: 255mm x 210mm× 42mm ◆ Weight: 2 KG	◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$22.00**	**VN-6110E-1**
ONVIF NEW ARRIVAL  Live Broadcast	◆ ONVIF 10CH NVR ◆ Solution: A1N (Bandwidth: 80M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 10CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio IN/OUT, HDMI Audio **(Integrated Amplifier supporting front Speakers and Microphone)** **(Support NVR, APP, and IPC for point-to-point intercom and point-to-multipoint broadcast)** ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/ "Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 1 SATA port (Max 16TB), USB2.0 x 2 ◆ Size: 255mm x 210mm× 42mm ◆ Weight: 2 KG	IN STOCK NOW ◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$23.00**	**VN-6110C-1**
ONVIF 	◆ ONVIF 16CH NVR ◆ Solution: A1N (Bandwidth: 80M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 16CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio in/out ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/ "Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 1 SATA port (Max 16TB), USB2.0 x 2 ◆ Size: 255mm x 210mm× 42mm ◆ Weight: 2 KG	◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$24.00**	**VN-6116E-1**
ONVIF NEW ARRIVAL  Live Broadcast	◆ ONVIF 16CH NVR ◆ Solution: A1N (Bandwidth: 80M) **(150M Optional)** ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 16CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio IN/OUT, HDMI Audio **(Integrated Amplifier supporting front Speakers and Microphone)** **(Support NVR, APP, and IPC for point-to-point intercom and point-to-multipoint broadcast)** ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/ "Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 1 SATA port (Max 16TB), USB2.0 x 2 ◆ Size: 255mm x 210mm× 42mm ◆ Weight: 2 KG	IN STOCK NOW ◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$22.00**	**VN-6116C-1**
NEW ARRIVAL  Live Broadcast	◆ ONVIF 36CH NVR ◆ Solution: A1X (Bandwidth: 150M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 36CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio IN/OUT, HDMI Audio **(Integrated Amplifier supporting front Speakers and Microphone)** **(Support NVR, APP, and IPC for point-to-point intercom and point-to-multipoint broadcast)** ◆ Playback: 8MP x 1CH, 2MP x 9CH, D1 x 36CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/ "Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 2 SATA port (Max 32TB), USB2.0 x 2 **(4 SATA Optional)** ◆ Size: 255mm x 210mm× 42mm ◆ Weight: 3.5 KG	IN STOCK NOW ◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$43.00**	**VN-6236C-2**
ONVIF 	◆ Solution: RK3568 (Bandwidth: 380M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 64CH ◆ Video Output: 1CH HDMI, 1CH VGA ◆ Audio: 1CH 3.5mm TRS Audio in/out (Support Broadcast Calling, HDMI Audio) ◆ Alarm: 16ch in, 8ch out ◆ Playback: 12MP x 1CH, 8MP x 4CH, 1080P x 16CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/ "Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 x 2 (1000M), 4 SATA port (Max 64TB), USB2.0 x 2 ◆ Size: 440mm× 355mm× 70mm ◆ Weight: 5 KG	◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**Subject to real-time prices**	**VN-6064E-4**
ONVIF 	◆ Solution: RK3588 (Bandwidth: 800M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 64CH (Support Heterogeneous Output) ◆ Video Output: 4CH HDMI ◆ Audio: 1CH RCA in/out (Support Broadcast Calling, HDMI Audio) ◆ Alarm: 16ch in, 8ch out ◆ Playback: 12MP x 1CH, 8MP x 4CH, 8MP x 16CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/ "Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 x 2 (1000M), 9 SATA port (Max 144TB), USB2.0 x 3 ◆ Size: 440mm× 355mm× 70mm ◆ Weight: 14 KG	◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**Subject to real-time prices**	**VN-6064E-9**

ONVIF 	◆ Solution: RK3588 (Bandwidth: 800M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 128CH (Support Heterogeneous Output) ◆ Video Output: 4CH HDMI ◆ Audio: 1CH RCA in/out (Support Broadcast Calling, HDMI Audio) ◆ Alarm: 16ch in, 8ch out ◆ Playback: 12MP x 1CH, 8MP x 4CH, 8MP x 16CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/"Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 x 2 (1000M), 24 SATA port (Max 384TB), USB2.0 x 3 ◆ Size: 482.6mm× 602.5mm × 174.1mm ◆ Weight: 25 KG	◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**Subject to real-time prices**	**VN-6128E-24**
ONVIF 	◆ Solution: RK3588 (Bandwidth: 800M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 196CH (Support Heterogeneous Output) ◆ Video Output: 4CH HDMI ◆ Audio: 1CH RCA in/out (Support Broadcast Calling, HDMI Audio) ◆ Alarm: 16ch in, 8ch out ◆ Playback: 12MP x 1CH, 8MP x 4CH, 8MP x 16CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/"Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 x 2 (1000M), 32 SATA port (Max 512TB), USB2.0 x 3 ◆ Size: 482.6mm× 521.1mm × 264mm ◆ Weight: 35 KG	◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**Subject to real-time prices**	**VN-6196E-32**

(3) 4/8/16 Channel 4K POE NVR (App: Vandsec)

Product Image	Specification	Accessories	Price	Model No.
ONVIF NEW ARRIVAL  PoE POWER OVER ETHERNET	◆ Solution: A1N (Bandwidth: 80M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 4CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio Out (Support Broadcast Calling, HDMI Audio) ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/"Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 1 SATA port (Max 16TB), USB2.0 x 2 ◆ Size: 255mm × 210mm× 42mm ◆ Weight: 2.5 KG	◆ Power: 1PC (52V) ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$30.50**	**VN-6104EP-1**
ONVIF NEW ARRIVAL  PoE POWER OVER ETHERNET	◆ Solution: A1N (Bandwidth: 80M) ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 8CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio Out (Support Broadcast Calling, HDMI Audio) ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/"Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 1 SATA port (Max 16TB), USB2.0 x 2 ◆ Size: 255mm × 210mm × 42mm ◆ Weight: 2.5 KG	◆ Power: 1PC (52V) ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$37.50**	**VN-6108EP-1**
ONVIF NEW ARRIVAL  PoE POWER OVER ETHERNET	◆ Solution: A1N (Bandwidth: 80M) **(150M Optional)** ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 16CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio Out (Support Broadcast Calling, HDMI Audio) ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/"Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 1 SATA port (Max 16TB), USB2.0 x 2 ◆ Size: 350mm × 240mm × 70mm ◆ Weight: 3.5 KG	◆ Power: 1PC (52V) ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$85.00**	**VN-6116EP-1**
ONVIF NEW ARRIVAL  PoE POWER OVER ETHERNET	◆ Solution: A1N (Bandwidth: 80M) **(150M Optional)** ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video Recording: 4K x 16CH ◆ Video Output: 1CH VGA, 1CH HDMI ◆ Audio: 1CH 3.5 Audio Out (Support Broadcast Calling, HDMI Audio) ◆ Playback: 8MP x 1CH, 2MP x 4CH ◆ Remote Control: Web, PC Software, App "LinkEasy"/"Vandsec" (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD ◆ Smart IPC Behavioral Analysis (same solution): Motion detection, alarm input, human detection, boundary crossing detection, vehicle reversal, personnel leaving their posts, personnel staying, area intrusion, illegal parking of vehicles ◆ Support ONVIF, RTSP, GB28181 protocol, RTMP, DDNS, UPNP, Network disconnection re-recording function ◆ Motion Detection, E-mail, RJ45 (100M), 2 SATA port (Max 32TB), USB2.0 x 3 ◆ Size: 350mm × 240mm × 70mm ◆ Weight: 4.5 KG	◆ Power: 1PC (52V) ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**$97.00**	**VN-6116EP-2**

(4) Embedded VMS Centralized Monitoring and Management Platform

Product Image	Specification		Accessories	Price	Model No.
 **Embedded VMS Centralized Monitoring and Management Platform**	◆ Supports 1024 Channels ◆ Video Output: 4 x HDMI ◆ Audio Output: 1 RCA audio input; 1 RCA audio output, HDMI Audio ◆ Ethernet Ports: 2 x 1000M RJ45 ports ◆ USB Ports: 3 x USB 2.0 ◆ Hard Drive Interfaces: 2U 9-bay, 9 x 16TB SATA ◆ E-SATA: 1 ◆ Alarms: 16 inputs, 8 outputs ◆ Access Bandwidth: 800M ◆ Weight: 15 KG	◆ Mode 1: 1 HDMI output (12MP/D1 + 128 preview + 16 playback channels); ◆ Mode 2: 2 HDMI outputs (12MP/D1 + 2 screens 100+100 preview + 16 playback channels); ◆ Mode 3: 4 HDMI outputs (8MP/D1 + 4 screens 49+49+49+49 preview + 16 playback channels); ◆ H265, H264, H 265+ Triple-Stream Decoding ◆ Supports single-screen 8K display output ◆ Supports dual-screen HDMI heterogeneous display output (1*8K + 1*4K) ◆ Supports quad-screen HDMI heterogeneous display output (3*4K + 1*1080P) ◆ Supports 16-channel local recording and playback ◆ Supports synchronous recording and backup recording in MP4 format ◆ Supports NVR remote playback ◆ Supports real-time alarm information display and alarm statistics ◆ Supports alarm information query ◆ Supports electronic magnification of preview and playback images ◆ Supports NTP and other functions ◆ Supports channel rotation grouping and custom screen splicing display ◆ Supports up to 4-channel 4K recording synchronous playback and up to 16-channel synchronous playback ◆ Fast boot-up, enjoy a smooth experienc ◆ Brand new UI interface, smooth operation ◆ Newly optimized, with excellent compatibility with hard drives on the market ◆ Supports selecting recording stream mode ◆ Optimized access bandwidth, up to 800M	◆ Power: 1PC ◆ USB Mouse: 1PC ◆ User Manual: 1PC	**Subject to real-time prices**	**VN-VMS1024**
	◆ Supports 2048 Channels ◆ Video Output: 4 x HDMI ◆ Audio Output: 1 RCA audio input; 1 RCA audio output, HDMI Audio ◆ Ethernet Ports: 2 x 1000M RJ45 ports ◆ USB Ports: 3 x USB 2.0 ◆ Hard Drive Interfaces: 2U 9-bay, 9 x 16TB SATA ◆ E-SATA: 1 ◆ Alarms: 16 inputs, 8 outputs ◆ Access Bandwidth: 800M ◆ Weight: 20 KG			**Subject to real-time prices**	**VN-VMS2048**

Trade Term:	**Say US Dollars, EXW Shen Zhen**
Payment Term:	**T/T, Paypal, Western Union and L/C**
Warranty:	**1 Year**

Vandsec Electronics Limited

Manufacturer of CCTV Cameras, DVRs and Accessories in China Since 2010

Website: www.vandsec.com **E-mail:** sales@vandsec.com

Tel: (+86) 0755-8931 4410 **Fax:** (+86) 0755 8455 3412

Add: Room 201, No. 75 Baonan Road, Nalian Community, Longgang Subdistrict, Longgang District, Shenzhen, Guangdong, China

